ACI MATERIALS JOURNAL

INDEX VOLUME 105, 2008

From a Journal of the American Concrete Institute, January through December 2008

American Concrete Institute®
Advancing concrete knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

INDEX

ACI Materials Journal VOLUME 105, 2008

Remove this section and include it with your January through December 2008 Volume 105 issues of the *ACI Materials Journal*.

A

Absorption—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44

Acoustic emission—Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Ohtsu, M., and Tomoda, Y., Mar.-Apr. 2008 194

Activation—Characterization of Aged Slag Concretes (105-M15) Xu, H.; Provis, J. L.; van Deventer, J. S. J.; and Krivenko, P. V., Mar.-Apr. 2008 131

Activation energy—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445

Adawi, A.—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) July-Aug. 2008 367

Adhikari, G.—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Nov.-Dec. 2008 594

Adiabatic curing test—Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Ng, P. L.; Ng, I. Y. T.; and Kwan, A. K. H., Jan.-Feb. 2008 52

Admixture(s)

—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Khayat, K. H., Yahia, A.; and Sayed, M., Nov.-Dec. 2008 585

—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Tosun, K.; Felekoglu, B.; Baradan, B.; Jan.-Feb. 2008 20

—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008 438

—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008 478

Adsorption

—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Khayat, K. H., Yahia, A.; and Sayed, M., Nov.-Dec. 2008 585

—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44

Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) Jeon, S.-J., July-Aug. 2008. 325

Aggelis, D. G.—Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Mar.-Apr. 2008. 187

Aggregate—Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Koehler, E. P., and Fowler, D. W., Mar.-Apr. 2008 . . . 165

Alhozaimy, A. M.—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Sept.-Oct. 2008 438

Alkali-activated cement—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008. 140

Alkali-activated slag concrete—Characterization of Aged Slag Concretes (105-M15) Xu, H.; Provis, J. L.; van Deventer, J. S. J.; and Krivenko, P. V., Mar.-Apr. 2008. 131

Alkali-aggregate reaction

—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227

—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 236

—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Tosun, K.; Felekoglu, B.; Baradan, B.; Jan.-Feb. 2008 20

Al-Negheimish, A. I.—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Sept.-Oct. 2008 438

Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Zheng, J.-j., and Zhou, X.-z., Mar.-Apr. 2008 200

Anchorage—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008 72

Andrade, C.—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) May-June 2008 243

Ashour, A. F.—Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) May-June 2008 289

Assaad, J. J.—Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Jan.-Feb. 2008 88

Assessment of Damage Gradients Using Dynamic Modulus of Thin Concrete Disks (105-M49) Dilek, U., Sept.-Oct. 2008. 429

Atomic force microscopy—Nanoscale Characterization of Cementitious Materials (105-M20) Mondal, P.; Shah, S. P.; and Marks, L. D., Mar.-Apr. 2008 174

Autogenous—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008. 478

Autogenous shrinkage—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., May-June 2008 265

B

Baert, G.—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) May-June 2008 221

Banfill, P. F. G.—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Mar.-Apr. 2008 140

Banthia, N.—Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) May-June 2008 251

Baradan, B.—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Jan.-Feb. 2008 20

Basheer, L.—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Jan.-Feb. 2008. 81

Basheer, P. A. M.—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Jan.-Feb. 2008 . . . 81

Basic creep—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., May-June 2008. 265

Bažant, Z. P.

—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Nov.-Dec. 2008. 635

—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Nov.-Dec. 2008 610

Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Ren, X.; Yang, W.; Zhou, Y.; and Li, J., Nov.-Dec. 2008 548

Bentz, D. P.

—Reducing Thermal and Autogenous Shrinkage Contributions to Early-Age Cracking (105-M48) July-Aug. 2008 414

—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) May-June 2008 297

Bilodeau, A.—Performance of Slag Concrete in Marine Environment (105-M71) Nov.-Dec. 2008 628
Bleeding—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Khayat, K. H., Yahia, A.; and Sayed, M., Nov.-Dec. 2008 585
Bond
—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Xue, W.; Wang, X.; and Zhang, S., Jan.-Feb. 2008 . . 11
—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008 576
—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008 72
Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Xue, W.; Wang, X.; and Zhang, S., Jan.-Feb. 2008 . . . 11
Bourdarot, E.
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) May-June 2008 227
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) May-June 2008 236
Bremner, T.—Performance of Slag Concrete in Marine Environment (105-M71) Nov.-Dec. 2008 628
Bridges—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Brown, M. C.—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) July-Aug. 2008 375
Browning, J.—Effects of Deicers on Concrete Deterioration (105-M70) Nov.-Dec. 2008 622

C

Calcium chloride—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 622
Calcium content—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Shehata, M. H.; Adhikari, G.; and Radomski, S., Nov.-Dec. 2008 594
Calcium magnesium acetate—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 622
Calibration—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 635
Calorimetry—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008 487
Capillary—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008 478
Carbon—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 . . . 274
Carbon fiber-reinforced polymer—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Xue, W.; Wang, X.; and Zhang, S., Jan.-Feb. 2008 11
Castro-Fresno, D.—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) Sept.-Oct. 2008 445
Cement hydration—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342
Cement paste
—Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Zheng, J.-j., and Zhou, X.-z., Mar.-Apr. 2008 200
—Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008 281
—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008 140
Cement paste nanostructure—Nanoscale Characterization of Cementitious Materials (105-M20) Mondal, P.; Shah, S. P.; and Marks, L. D., Mar.-Apr. 2008 174
Chagas Cordeiro, G.—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Sept.-Oct. 2008 487
Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Characterization—Characterization of Aged Slag Concretes (105-M15) Xu, H.; Provis, J. L.; van Deventer, J. S. J.; and Krivenko, P. V., Mar.-Apr. 2008 131
Characterization of Aged Slag Concretes (105-M15) Xu, H.; Provis, J. L.; van Deventer, J. S. J.; and Krivenko, P. V., Mar.-Apr. 2008 131
Chemical admixtures—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342
Clten, C.-T.—Correlation between Paste and Concrete Flow Behavior (105-M33) May-June 2008 281
Chloride(s)
—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 622
—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) Williamson, G. S.; Weyers, R. E.; Brown, M. C.; Ramniceanu, A.; and Sprinkel, M. M., July-Aug. 2008 375
Chloride concentration—Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Ohtsu, M., and Tomoda, Y., Mar.-Apr. 2008 194
Chloride diffusivity—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 541
Chloride profiles—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Nanukuttan, S. V.; Basheer, L.; McCarter, W. J.; Robinson, D. J.; and Basheer, P. A. M., Jan.-Feb. 2008 81
Chloride threshold—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Nanukuttan, S. V.; Basheer, L.; McCarter, W. J.; Robinson, D. J.; and Basheer, P. A. M., Jan.-Feb. 2008 81
Chung, D. D. L.—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) May-June 2008 274
Chung, H.-S.—Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) May-June 2008 289
Coefficient of diffusion—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Nanukuttan, S. V.; Basheer, L.; McCarter, W. J.; Robinson, D. J.; and Basheer, P. A. M., Jan.-Feb. 2008 81
Composites—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 635
Compressive strength
—Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Graybeal, B., and Davis, M., Nov.-Dec. 2008 603
—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008 438
Concrete—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 622
Concrete permeability—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2008 390

Concrete truck—Large-Scale Processing of Engineered Cementitious Composites (105-M41) Lepech, M. D., and Li, V. C., July-Aug. 2008 . . . 358
Constitutive law—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Ren, X.; Yang, W.; Zhou, Y.; and Li, J., Nov.-Dec. 2008 548
Constitutive relationships—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Kodur, V. K. R.; Dwaikat, M. M. S.; and Dwaikat, M. B., Sept.-Oct. 2008 517
Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) Higashiyama, H., and Banthia, N., May-June 2008 251
Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008 281
Corrosion
—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) Sahmaran, M.; Li, V. C.; and Andrade, C., May-June 2008 243
—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008 . . . 350
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Ramniceanu, A.; Weyers, R. E.; Riffle, J. S.; and Sprinkel, M. M., Sept.-Oct. 2008 459
—Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Ohtsu, M., and Tomoda, Y., Mar.-Apr. 2008 194
—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) Williamson, G. S.; Weyers, R. E.; Brown, M. C.; Ramniceanu, A.; and Sprinkel, M. M., July-Aug. 2008 375
Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) Sahmaran, M.; Li, V. C.; and Andrade, C., May-June 2008 243
Cowin, G.—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Jan.-Feb. 20084 44
Crack
—Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) Jeon, S.-J., July-Aug. 2008 325
—Restored Strength of Cracked Concrete Beam Repaired by Epoxy and Polymethyl Methacrylate (105-M52) Kan, Y.-C.; Yen, T.; and Lee, M.-G., Sept.-Oct. 2008 451
Crack depth—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Shin, S. W.; Zhu, J.; Min, J.; and Popovics, J. S., Sept.-Oct. 2008 510
Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Shin, S. W.; Zhu, J.; Min, J.; and Popovics, J. S., Sept.-Oct. 2008 510
Crack detection—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Cracking
—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) Sahmaran, M.; Li, V. C.; and Andrade, C., May-June 2008 243
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 236
—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) Kwon, S. H., and Shah, S. P., July-Aug. 2008 381
—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Li, C.-Q.; Yang, Y.; and Melchers, R. E., Jan.-Feb. 2008 3
—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Mar.-Apr. 2008 149
—Reducing Thermal and Autogenous Shrinkage Contributions to Early-Age Cracking (105-M48) Bentz, D. P., and Peltz, M. A., July-Aug. 2008 . . . 414
—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
Creep
—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 635
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227
—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) Kwon, S. H., and Shah, S. P., July-Aug. 2008 381
—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 610
Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227
Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 236
Cube—Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Graybeal, B., and Davis, M., Nov.-Dec. 2008 603
Cylinder—Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Graybeal, B., and Davis, M., Nov.-Dec. 2008 603
Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Graybeal, B., and Davis, M., Nov.-Dec. 2008 603

D

Dal Molin, D.—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Mar.-Apr. 2008 125
Damage assessment—Assessment of Damage Gradients Using Dynamic Modulus of Thin Concrete Disks (105-M49) Dilek, U., Sept.-Oct. 2008 429
Damage detection—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Damage gradients—Assessment of Damage Gradients Using Dynamic Modulus of Thin Concrete Disks (105-M49) Dilek, U., Sept.-Oct. 2008 429
Dams—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Marques Filho, J.; Paulon, V. A.; Monteiro, P. J. M.; Pacelli de Andrade, W.; and Dal Molin, D., Mar.-Apr. 2008 125
Darwin, D.—Effects of Deicers on Concrete Deterioration (105-M70) Nov.-Dec. 2008 622
Database—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 635
Davis, M.—Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Nov.-Dec. 2008 603
Day, D.—Performance of Slag Concrete in Marine Environment (105-M71) Nov.-Dec. 2008 628
De Belie, N.—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) May-June 2008 221
Degree of hydration—Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Zheng, J.-j., and Zhou, X.-z., Mar.-Apr. 2008 200
Deicing salts—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 . . . 622
Delamination—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008 72

de Moraes Rego Fairbairn—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Sept.-Oct. 2008 487
Design—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Kodur, V. K. R.; Dwaikat, M. M. S.; and Dwaikat, M. B., Sept.-Oct. 2008 517
Design guide—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 610
Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Lepech, M. D.; Li, V. C.; Robertson, R. E.; and Keoleian, G. A., Nov.-Dec. 2008 567
Deterioration—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Marques Filho, J.; Paulon, V. A.; Monteiro, P. J. M.; Pacelli de Andrade, W.; and Dal Molin, D., Mar.-Apr. 2008 125
Dias Toledo Filho, R.—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Sept.-Oct. 2008 487
Diffusion—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) Williamson, G. S.; Weyers, R. E.; Brown, M. C.; Ramniceanu, A.; and Sprinkel, M. M., July-Aug. 2008 375
Dilek, U.—Assessment of Damage Gradients Using Dynamic Modulus of Thin Concrete Disks (105-M49) Sept.-Oct. 2008 429
Drying—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008. 478
Drying shrinkage—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 499
Ductility—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
Durability
—Assessment of Damage Gradients Using Dynamic Modulus of Thin Concrete Disks (105-M49) Dilek, U., Sept.-Oct. 2008 429
—Characterization of Aged Slag Concretes (105-M15) Xu, H.; Provis, J. L.; van Deventer, J. S. J.; and Krivenko, P. V., Mar.-Apr. 2008 131
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008. 236
—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Tosun, K.; Felekoglu, B.; Baradan, B.; Jan.-Feb. 2008 . . .20
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Ramniceanu, A.; Weyers, R. E.; Riffle, J. S.; and Sprinkel, M. M., Sept.-Oct. 2008 459
—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008 367
—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008. 28
—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008. 487
—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44
—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) Williamson, G. S.; Weyers, R. E.; Brown, M. C.; Ramniceanu, A.; and Sprinkel, M. M., July-Aug. 2008. 375
Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Koehler, E. P., and Fowler, D. W., Mar.-Apr. 2008 165
Dux, P.—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Jan.-Feb. 2008 44
Dwaikat, M. B.—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Sept.-Oct. 2008 517
Dwaikat, M. M. S.—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Sept.-Oct. 2008 517

E

Early-age creep—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Mar.-Apr. 2008 149
Early age properties—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
Early ages—Reducing Thermal and Autogenous Shrinkage Contributions to Early-Age Cracking (105-M48) Bentz, D. P., and Peltz, M. A., July-Aug. 2008 414
Early thermal cracking—Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Ng, P. L.; Ng, I. Y. T.; and Kwan, A. K. H., Jan.-Feb. 2008. 52
Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Aggelis, D. G., and Shiotani, T., Mar.-Apr. 2008 187
Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., May-June 2008 265
Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 499
Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 274
Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Khayat, K. H., Yahia, A.; and Sayed, M., Nov.-Dec. 2008 585
Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Tosun, K.; Felekoglu, B.; and Baradan, B.; Jan.-Feb. 2008 20
Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008. 622
Elastic moduli—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
Electrical resistivity
—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 274
—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 . . 541
Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 541
El-Tawil, S.—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Nov.-Dec. 2008 576
Engineered cementitious composite(s) (ECC)
—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) Sahmaran, M.; Li, V. C.; and Andrade, C., May-June 2008 243
—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Lepech, M. D.; Li, V. C.; Robertson, R. E.; and Keoleian, G. A., Nov.-Dec. 2008 567
—Large-Scale Processing of Engineered Cementitious Composites (105-M41) Lepech, M. D., and Li, V. C., July-Aug. 2008. 358
Epoxy
—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Ramniceanu, A.; Weyers, R. E.; Riffle, J. S.; and Sprinkel, M. M., Sept.-Oct. 2008 459
Eshwar, N.—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Jan.-Feb. 2008 72
Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Monteiro, P. J. M., and Kurtis, K. E., Jan.-Feb. 2008. 62
Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Gregori, A.; Ferron, R. P.; Sun, Z.; and Shah, S. P., Jan.-Feb. 2008. 97

F

Failure modes—Pullout Response of Ferrocement Members Embedded in Soil (105-M13) Zakaria Hossain, M., Mar.-Apr. 2008 115

Felekoglu, B.—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Jan.-Feb. 2008 20

Ferrara, L.—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Nov.-Dec. 2008 558

Ferrocement

—Pullout Response of Ferrocement Members Embedded in Soil (105-M13) Zakaria Hossain, M., Mar.-Apr. 2008 115

—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28

Ferron, R. P.—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Jan.-Feb. 2008 97

Fiber-reinforced concrete

—Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) Higashiyama, H., and Banthia, N., May-June 2008 251

—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) Kwon, S. H., and Shah, S. P., July-Aug. 2008 381

Fiber-reinforced polymer—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008 72

Fibers

—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 274

—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008 576

—Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Greenough, T., and Nehdi, M., Sept.-Oct. 2008 . . . 468

Finite element modeling—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 236

Fire resistance models—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Kodur, V. K. R.; Dwaikat, M. M. S.; and Dwaikat, M. B., Sept.-Oct. 2008 517

Fly ash

—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Mar.-Apr. 2008 149

—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) De Belie, N.; Grosse, C.; and Baert, G., May-June 2008 221

Folliard, K. J.

—Investigation of Air-Entraining Admixture Dosage in Fly Ash Concrete (105-M57) Sept.-Oct. 2008 494

—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Mar.-Apr. 2008 149

—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) July-Aug. 2008 390

Formwork pressure

—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Gregori, A.; Ferron, R. P.; Sun, Z.; and Shah, S. P., Jan.-Feb. 2008 97

—Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Khayat, K. H., and Assaad, J. J., Jan.-Feb. 2008 88

Four-electrode method—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 541

Fowler, D. W.—Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Mar.-Apr. 2008 165

Freezing-and-thawing—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297

Frequency—Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Aggelis, D. G., and Shiotani, T., Mar.-Apr. 2008 187

Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Nanukuttan, S. V.; Basheer, L.; McCarter, W. J.; Robinson, D. J.; and Basheer, P. A. M., Jan.-Feb. 2008 81

G

Galloway, G.—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Jan.-Feb. 2008 44

Galvanostatic pulse—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008 350

García, Á.—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) Sept.-Oct. 2008 445

Gassman, S. L.—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) July-Aug. 2008 . . . 395

Gjørv, O. E.—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Nov.-Dec. 2008 541

Gong, L.—Effects of Deicers on Concrete Deterioration (105-M70) Nov.-Dec. 2008 622

Graybeal, B.—Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Nov.-Dec. 2008 603

Green chemistry—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Lepech, M. D.; Li, V. C.; Robertson, R. E.; and Keoleian, G. A., Nov.-Dec. 2008 567

Green materials—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Lepech, M. D.; Li, V. C.; Robertson, R. E.; and Keoleian, G. A., Nov.-Dec. 2008 567

Greenough, T.—Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Sept.-Oct. 2008 468

Gregori, A.—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Jan.-Feb. 2008 97

Grimal, E.

—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) May-June 2008 227

—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) May-June 2008 236

Grosse, C.—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) May-June 2008 221

Grout—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Khayat, K. H., Yahia, A.; and Sayed, M., Nov.-Dec. 2008 585

H

Half-cell potential—Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Ohtsu, M., and Tomoda, Y., Mar.-Apr. 2008 194

Harris, N. J.—Investigation of Air-Entraining Admixture Dosage in Fly Ash Concrete (105-M57) Sept.-Oct. 2008 494

Haynes, H.—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Jan.-Feb. 2008 35

Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Ng, P. L.; Ng, I. Y. T.; and Kwan, A. K. H., Jan.-Feb. 2008 52

Heat of hydration—Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) Jeon, S.-J., July-Aug. 2008 325

Hidalgo, J.—Correlation between Paste and Concrete Flow Behavior (105-M33) May-June 2008 281

Higashiyama, H.—Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) May-June 2008 251

High-performance concrete—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008 487

High-range water-reducing admixture—Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008 281

High-strength concrete—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Park, K.-B.; Jee, N.-Y.; Yoon, I.-S.; and Lee, H.-S., Mar.-Apr. 2008 180
High-temperature properties—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Kodur, V. K. R.; Dwaikat, M. M. S.; and Dwaikat, M. B., Sept.-Oct. 2008 517
High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Kodur, V. K. R.; Dwaikat, M. M. S.; and Dwaikat, M. B., Sept.-Oct. 2008 517
Hooton, R. D.—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Jan.-Feb. 2008 ... 44
Hot weather—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008..... 438
Hover, K. C.—Investigation of Air-Entraining Admixture Dosage in Fly Ash Concrete (105-M57) Sept.-Oct. 2008 494
Hughes, S. R.—Effects of Deicers on Concrete Deterioration (105-M70) Nov.-Dec. 2008..... 622
Humidity—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
Hwang, S.-D.—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Sept.-Oct. 2008 499
Hydration
—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., May-June 2008.... 265
—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) De Belie, N.; Grosse, C.; and Baert, G., May-June 2008..... 221
Hydration model—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Park, K.-B.; Jee, N.-Y.; Yoon, I.-S.; and Lee, H.-S., Mar.-Apr. 2008.....180

I

Ibell, T. J.—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Jan.-Feb. 2008..... 72
Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
Impact-echo method—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008.....438
Impedance—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008.....350
Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) Yang, K.-H.; Chung, H.-S.; and Ashour, A. F., May-June 2008 289
Interfacial transition zone—Nanoscale Characterization of Cementitious Materials (105-M20) Mondal, P.; Shah, S. P.; and Marks, L. D., Mar.-Apr. 2008 174
Internal curing—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., May-June 2008 265
Internal restraint—Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) Jeon, S.-J., July-Aug. 2008.....325
Investigation of Air-Entraining Admixture Dosage in Fly Ash Concrete (105-M57) Ley, M. T.; Harris, N. J.; Folliard, K. J.; and Hover, K. C., Sept.-Oct. 2008 494
Ismail, M.—Study on Corrosion Durability of Ferrocement (105-M04) Jan.-Feb. 2008 28

J

Jee, N.-Y.—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Mar.-Apr. 2008 180
Jeon, S.-J.—Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) July-Aug. 2008 325
Juenger, M. C. G.
—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Mar.-Apr. 2008..... 149
—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) July-Aug. 2008 390

K

Kahn, L. F.—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) May-June 2008..... 265
Kan, Y.-C.—Restored Strength of Cracked Concrete Beam Repaired by Epoxy and Polymethyl Methacrylate (105-M52) Sept.-Oct. 2008 451
Keoleian, G. A.—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Nov.-Dec. 2008..... 567
Khayat, K. H.
—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Sept.-Oct. 2008 ... 499
—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Nov.-Dec. 2008..... 585
—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) July-Aug. 2008..... 342
—Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Jan.-Feb. 2008... 88
Kim, D. J.—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Nov.-Dec. 2008 576
Kinetic—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) Villar-Cociña, E.; Rojas, M. F.; and Morales, E. V., May-June 2008 258
Kodur, V. K. R.—High-Temperature Properties of Concrete for Fire Resistance Modeling of Structures (105-M60) Sept.-Oct. 2008 517
Koehler, E. P.—Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Mar.-Apr. 2008 165
Kovler, K.—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) July-Aug. 2008 404
Krivenko, P. V.—Characterization of Aged Slag Concretes (105-M15) Mar.-Apr. 2008..... 131
Kurtis, K. E.
—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) May-June 2008..... 265
—Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Jan.-Feb. 2008 62
Kwan, A. K. H.—Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Jan.-Feb. 2008 52
Kwon, S. H.—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) July-Aug. 2008... 381

L

Large-Scale Processing of Engineered Cementitious Composites (105-M41) Lepech, M. D., and Li, V. C., July-Aug. 2008 358
Latex paint—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008..... 367
Least-square regression—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 610
Lee, H.-S.—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Mar.-Apr. 2008 180
Lee, J.—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) July-Aug. 2008..... 334
Lee, M.-G.—Restored Strength of Cracked Concrete Beam Repaired by Epoxy and Polymethyl Methacrylate (105-M52) Sept.-Oct. 2008 451
Leech, C.—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Jan.-Feb. 2008 44
Le Pape, Y.
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) May-June 2008..... 227

—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) May-June 2008 236
Lepech, M. D.
—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Nov.-Dec. 2008 567
—Large-Scale Processing of Engineered Cementitious Composites (105-M41) July-Aug. 2008 358
Ley, M. T.—Investigation of Air-Entraining Admixture Dosage in Fly Ash Concrete (105-M57) Sept.-Oct. 2008 494
Li, C.-Q.—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Jan.-Feb. 2008 3
Li, G.-H.
—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Nov.-Dec. 2008 635
—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Nov.-Dec. 2008 610
Li, J.—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Nov.-Dec. 2008 548
Li, V. C.
—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) May-June 2008 243
—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Nov.-Dec. 2008 567
—Large-Scale Processing of Engineered Cementitious Composites (105-M41) July-Aug. 2008 358
Li, Z.—Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Mar.-Apr. 2008 156
Lightweight aggregate—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) Lopez, M.; Kahn, L. F.; and Kurtis, K. E., May-June 2008 265
Lightweight concrete—Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) Higashiyama, H., and Banthia, N., May-June 2008 251
Lin, F.—Modeling Shrinkage of Portland Cement Paste (105-M36) May-June 2008 302
Linear polarization—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008 350
Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008 576
Lockington, D.—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Jan.-Feb. 2008 44
Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Shehata, M. H.; Adhikari, G.; and Radomski, S., Nov.-Dec. 2008 594
Lopez, M.—Effect of Internally Stored Water on Creep of High-Performance Concrete (105-M31) May-June 2008 265
Lura, P.—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Sept.-Oct. 2008 478

M

Maalej, M.—Study on Corrosion Durability of Ferrocement (105-M04) Jan.-Feb. 2008 28
Magnesium chloride—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 622
Mansur, M. A.—Study on Corrosion Durability of Ferrocement (105-M04) Jan.-Feb. 2008 28
Marks, L. D.—Nanoscale Characterization of Cementitious Materials (105-M20) Mar.-Apr. 2008 174
Marques Filho, J.—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Mar.-Apr. 2008 125
Mass—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008 478
Mass concrete—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Mar.-Apr. 2008 149
Matrix composition—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008 576
Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
Maturity method—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
McCarter, W. J.—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Jan.-Feb. 2008 81
Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008 350
Mechanical properties—Nanoscale Characterization of Cementitious Materials (105-M20) Mondal, P.; Shah, S. P.; and Marks, L. D., Mar.-Apr. 2008 174
Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
Mehta, P. K.—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Jan.-Feb. 2008 35
Melchers, R. E.—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Jan.-Feb. 2008 3
Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342
Meyer, C.—Modeling Shrinkage of Portland Cement Paste (105-M36) May-June 2008 302
Micromechanical model—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
Microstructure
—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
—Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Zhang, Y.; Sun, W.; and Li, Z., Mar.-Apr. 2008 156
—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) De Belie, N.; Grosse, C.; and Baert, G., May-June 2008 221
—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297
Millard, S. G.—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) July-Aug. 2008 350
Min, J.—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Sept.-Oct. 2008 510
Mixing
—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008 438
—Large-Scale Processing of Engineered Cementitious Composites (105-M41) Lepech, M. D., and Li, V. C., July-Aug. 2008 358
Mixture proportioning—Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Koehler, E. P., and Fowler, D. W., Mar.-Apr. 2008 165
Modal frequencies—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Model verification—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 635
Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
Models—Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Monteiro, P. J. M., and Kurtis, K. E., Jan.-Feb. 2008 62
Mohammed, A.—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) July-Aug. 2008 367

Moisture
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 236
—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 274
—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) Kwon, S. H., and Shah, S. P., July-Aug. 2008 381
Mondal, P.—Nanoscale Characterization of Cementitious Materials (105-M20) Mar.-Apr. 2008 174
Monteiro, P. J. M.
—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Mar.-Apr. 2008 125
—Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Jan.-Feb. 2008 62
Morales, E. V.—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) May-June 2008 258
Mortar
—Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Aggelis, D. G., and Shiotani, T., Mar.-Apr. 2008 187
—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008 140

N

Naaman, A. E.—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Nov.-Dec. 2008 576
Nanni, A.—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Jan.-Feb. 2008 72
Nanoindentation—Nanoscale Characterization of Cementitious Materials (105-M20) Mondal, P.; Shah, S. P.; and Marks, L. D., Mar.-Apr. 2008 174
Nanoscale Characterization of Cementitious Materials (105-M20) Mondal, P.; Shah, S. P.; and Marks, L. D., Mar.-Apr. 2008 174
Nanukuttan, S. V.—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Jan.-Feb. 2008 81
Neff, M.—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Jan.-Feb. 2008 35
Nehdi, M.
—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) July-Aug. 2008 367
—Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Sept.-Oct. 2008 468
Neural network—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Park, K.-B.; Jee, N.-Y.; Yoon, I.-S.; and Lee, H.-S., Mar.-Apr. 2008 180
Ng, I. Y. T.—Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Jan.-Feb. 2008 52
Ng, P. L.—Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Jan.-Feb. 2008 52
Nondestructive evaluation (NDE)
—Assessment of Damage Gradients Using Dynamic Modulus of Thin Concrete Disks (105-M49) Dilek, U., Sept.-Oct. 2008 429
—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Nondestructive testing
—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Shin, S. W.; Zhu, J.; Min, J.; and Popovics, J. S., Sept.-Oct. 2008 510
—Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Aggelis, D. G., and Shiotani, T., Mar.-Apr. 2008 187
Nuclear magnetic resonance—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44

O

Ohtsu, M.—Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Mar.-Apr. 2008 194
O'Neill, R.—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Jan.-Feb. 2008 35
Orthotropic—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 236
Orthotropic damage—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227

P

Pacelli de Andrade, W.—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Mar.-Apr. 2008 125
Palacios, M.—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Mar.-Apr. 2008 140
Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Ramniceanu, A.; Weyers, R. E.; Riffle, J. S.; and Sprinkel, M. M., Sept.-Oct. 2008 459
Park, K.-B.—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Mar.-Apr. 2008 180
Paulon, V. A.—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Mar.-Apr. 2008 125
Peeling—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008 72
Peltz, M. A.—Reducing Thermal and Autogenous Shrinkage Contributions to Early-Age Cracking (105-M48) July-Aug. 2008 414
Percolation—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297
Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008 478
Performance of Slag Concrete in Marine Environment (105-M71) Thomas, M. D. A.; Scott, A.; Bremner, T.; Bilodeau, A.; and Day, D., Nov.-Dec. 2008 628
Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008 72
Permeability
—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Shehata, M. H.; Adhikari, G.; and Radomski, S., Nov.-Dec. 2008 594
—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) Lee, J.; Xi, Y.; and Willam, K., July-Aug. 2008 334
—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44
—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297
Pervious concrete—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297
Petit, J.-Y.—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) July-Aug. 2008 342
Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Ohtsu, M., and Tomoda, Y., Mar.-Apr. 2008 194
Physical salt attack—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Piezoresistivity—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 274
Plastic viscosity—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342

PMMA—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Polanco, J. A.—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) Sept.-Oct. 2008 445
Poole, J. L.
—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Mar.-Apr. 2008 149
—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) July-Aug. 2008 390
Popovics, J. S.—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Sept.-Oct. 2008 510
Pore size distribution—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44
Poromechanics—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
Porosity—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
Portland cement—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
Pozzolan(s)
—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) Villar-Cociña, E.; Rojas, M. F.; and Morales, E. V., May-June 2008 258
—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008 487
Prediction model—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 610
Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) Kwon, S. H., and Shah, S. P., July-Aug. 2008 381
Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Li, C.-Q.; Yang, Y.; and Melchers, R. E., Jan.-Feb. 2008 3
Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Park, K.-B.; Jee, N.-Y.; Yoon, I.-S.; and Lee, H.-S., Mar.-Apr. 2008 180
Preparation—Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Zhang, Y.; Sun, W.; and Li, Z., Mar.-Apr. 2008 156
Properties of Concrete after High-Temperature Heating and Cooling (105-M38) Lee, J.; Xi, Y.; and Willam, K., July-Aug. 2008 334
Protective system—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
Provis, J. L.—Characterization of Aged Slag Concretes (105-M15) Mar.-Apr. 2008 131
Puertas, F.—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Mar.-Apr. 2008 140
Pullout—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008 576
Pullout response—Pullout Response of Ferrocement Members Embedded in Soil (105-M13) Zakaria Hossain, M., Mar.-Apr. 2008 115
Pullout Response of Ferrocement Members Embedded in Soil (105-M13) Zakaria Hossain, M., Mar.-Apr. 2008 115
Pullout test—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Xue, W.; Wang, X.; and Zhang, S., Jan.-Feb. 2008 11
Pulse velocity—Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Aggelis, D. G., and Shiotani, T., Mar.-Apr. 2008 187
P-wave velocity—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395

Q

Quality control—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 541
Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Mar.-Apr. 2008 149

R

Radioactivity—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
Radomski, S.—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Nov.-Dec. 2008 594
Radon exhalation—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
Rajabipour, F.—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Sept.-Oct. 2008 . . 478
Ramniceanu, A.
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Sept.-Oct. 2008 459
—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) July-Aug. 2008 375
Rapid chloride permeability test—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2008 390
Rate sensitivity—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008 576
Ready mixed concrete—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008 438
Recycled aggregate—Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) Yang, K.-H.; Chung, H.-S.; and Ashour, A. F., May-June 2008 289
Recycling—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008 367
Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008 367
Reducing Thermal and Autogenous Shrinkage Contributions to Early-Age Cracking (105-M48) Bentz, D. P., and Peltz, M. A., July-Aug. 2008 414
Reinforced concrete—Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Greenough, T., and Nehdi, M., Sept.-Oct. 2008 468
Reinforcement
—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008 350
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Ramniceanu, A.; Weyers, R. E.; Riffle, J. S.; and Sprinkel, M. M., Sept.-Oct. 2008 459
Ren, X.—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Nov.-Dec. 2008 548
Repair—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Residual load capacity—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) Sahmaran, M.; Li, V. C.; and Andrade, C., May-June 2008 243
Resistivity—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2008 390
Restored Strength of Cracked Concrete Beam Repaired by Epoxy and Polymethyl Methacrylate (105-M52) Kan, Y.-C.; Yen, T.; and Lee, M.-G., Sept.-Oct. 2008 451

Restrained shrinkage
—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 499
—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) Kwon, S. H., and Shah, S. P., July-Aug. 2008 381
Rheology
—Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008 281
—Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Koehler, E. P., and Fowler, D. W., Mar.-Apr. 2008 165
—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Khayat, K. H., Yahia, A.; and Sayed, M., Nov.-Dec. 2008 585
—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342
—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008 140
—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008 487
Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008 140
Riding, K. A.
—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Mar.-Apr. 2008 149
—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) July-Aug. 2008 390
Riffle, J. S.—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Sept.-Oct. 2008 459
Robertson, R. E.—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Nov.-Dec. 2008 567
Robinson, D. J.—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Jan.-Feb. 2008 81
Rojas, M. F.—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) May-June 2008 258
Roller-compacted concrete—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Marques Filho, J.; Paulon, V. A.; Monteiro, P. J. M.; Pacelli de Andrade, W.; and Dal Molin, D., Mar.-Apr. 2008 125

S

Sahmaran, M.—Corrosion Resistance Performance of Steel-Reinforced Engineered Cementitious Composite Beams (105-M28) May-June 2008 243
Salt hydration distress—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Salt weathering—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Sant, G.—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Sept.-Oct. 2008 478
Saturation curves—Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Monteiro, P. J. M., and Kurtis, K. E., Jan.-Feb. 2008 62
Sayed, M.—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Nov.-Dec. 2008 585
Schindler, A. K.
—Quantification of Effects of Fly Ash Type on Concrete Early-Age Cracking (105-M17) Mar.-Apr. 2008 149
—Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) July-Aug. 2008 390
Scott, A.—Performance of Slag Concrete in Marine Environment (105-M71) Nov.-Dec. 2008 628
Self-consolidating concrete
—Dust-of-Fracture Aggregate Microfines in Self-Consolidating Concrete (105-M19) Koehler, E. P., and Fowler, D. W., Mar.-Apr. 2008 165
—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 499
—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Gregori, A.; Ferron, R. P.; Sun, Z.; and Shah, S. P., Jan.-Feb. 2008 97
—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 . . . 342
—Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Greenough, T., and Nehdi, M., Sept.-Oct. 2008 468
—Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Khayat, K. H., and Assaad, J. J., Jan.-Feb. 2008 88
Sellier, A.
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) May-June 2008 227
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part II: Identification of Model Parameters and Application (105-M27) May-June 2008 236
Semi-adiabatic curing test—Heat Loss Compensation in Semi-Adiabatic Curing Test of Concrete (105-M07) Ng, P. L.; Ng, I. Y. T.; and Kwan, A. K. H., Jan.-Feb. 2008 52
Sengul, O.—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Nov.-Dec. 2008 541
Serviceability—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Li, C.-Q.; Yang, Y.; and Melchers, R. E., Jan.-Feb. 2008 3
Service-life model—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) Williamson, G. S.; Weyers, R. E.; Brown, M. C.; Ramniceanu, A.; and Sprinkel, M. M., July-Aug. 2008 . . . 375
Setting—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008 140
Setting time—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
Shah, S. P.
—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Jan.-Feb. 2008 97
—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Nov.-Dec. 2008 558
—Nanoscale Characterization of Cementitious Materials (105-M20) Mar.-Apr. 2008 174
—Prediction of Early-Age Cracking of Fiber-Reinforced Concrete due to Restrained Shrinkage (105-M44) July-Aug. 2008 381
Shear
—Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) Higashiyama, H., and Banthia, N., May-June 2008 251
—Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008 281
—Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Greenough, T., and Nehdi, M., Sept.-Oct. 2008 . . 468
Shear Behavior of Fiber-Reinforced Self-Consolidating Concrete Slender Beams (105-M54) Greenough, T., and Nehdi, M., Sept.-Oct. 2008 468
Shehata, M. H.—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Nov.-Dec. 2008 594
Shin, S. W.—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Sept.-Oct. 2008 510

Shiotani, T.—Effect of Inhomogeneity Parameters on Wave Propagation in Cementitious Material (105-M22) Mar.-Apr. 2008 187
Shrinkage
—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 635
—Creep, Shrinkage, and Anisotropic Damage in Alkali-Aggregate Reaction Swelling Mechanism—Part I: A Constitutive Model (105-M26) Grimal, E.; Sellier, A.; Le Pape, Y.; and Bourdarot, E., May-June 2008 227
—Modeling Shrinkage of Portland Cement Paste (105-M36) Lin, F., and Meyer, C., May-June 2008 302
—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008 478
—Reducing Thermal and Autogenous Shrinkage Contributions to Early-Age Cracking (105-M48) Bentz, D. P., and Peltz, M. A., July-Aug. 2008 . . . 414
—Rheology and Setting of Alkali-Activated Slag Pastes and Mortars: Effect of Organic Admixture (105-M16) Palacios, M.; Banfill, P. F. G.; and Puertas, F., Mar.-Apr. 2008 140
—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 610
Shrinkage-reducing admixture—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 . . 499
Silane—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Tosun, K.; Felekoglu, B.; Baradan, B.; Jan.-Feb. 2008 20
Simplified Concrete Resistivity and Rapid Chloride Permeability Test Method (105-M45) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2008. 390
Slump
—Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008. 281
—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
Slump loss—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008 438
So, H.-s.—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) July-Aug. 2008 350
Sodium chloride—Effects of Deicers on Concrete Deterioration (105-M70) Darwin, D.; Browning, J.; Gong, L.; and Hughes, S. R., Nov.-Dec. 2008 . . 622
Sodium sulfate—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Spectral energy transmission—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Shin, S. W.; Zhu, J.; Min, J.; and Popovics, J. S., Sept.-Oct. 2008 510
Spread-time—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
Sprinkel, M. M.
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Sept.-Oct. 2008. 459
—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) July-Aug. 2008. 375
Statistics
—Comprehensive Database on Concrete Creep and Shrinkage (105-M72) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008. 635
—Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 610
Steel corrosion—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Li, C.-Q.; Yang, Y.; and Melchers, R. E., Jan.-Feb. 2008 3
Stiffness—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) Lee, J.; Xi, Y.; and Willam, K., July-Aug. 2008 . 334
Strain—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) Wen, S., and Chung, D. D. L., May-June 2008 274
Strain control—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Ren, X.; Yang, W.; Zhou, Y.; and Li, J., Nov.-Dec. 2008. 548
Strand—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Xue, W.; Wang, X.; and Zhang, S., Jan.-Feb. 2008 11
Strength
—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Xue, W.; Wang, X.; and Zhang, S., Jan.-Feb. 2008 . . . 11
—Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) Yang, K.-H.; Chung, H.-S.; and Ashour, A. F., May-June 2008. 289
—Loading Rate Effect on Pullout Behavior of Deformed Steel Fibers (105-M65) Kim, D. J.; El-Tawil, S.; and Naaman, A. E., Nov.-Dec. 2008. 576
—Performance of Two Anchor Systems of Externally Bonded Fiber-Reinforced Polymer Laminates (105-M09) Eshwar, N.; Nanni, A.; and Ibell, T. J., Jan.-Feb. 2008. 72
—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Li, C.-Q.; Yang, Y.; and Melchers, R. E., Jan.-Feb. 2008 3
—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) Lee, J.; Xi, Y.; and Willam, K., July-Aug. 2008 334
—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008. 367
—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
—Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Zhang, Y.; Sun, W.; and Li, Z., Mar.-Apr. 2008. 156
Strength envelope—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Ren, X.; Yang, W.; Zhou, Y.; and Li, J., Nov.-Dec. 2008 548
Stress—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Weiss, J.; Lura, P.; Rajabipour, F.; and Sant, G., Sept.-Oct. 2008 478
Stress relaxation—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 499
Stress waves—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Shin, S. W.; Zhu, J.; Min, J.; and Popovics, J. S., Sept.-Oct. 2008. 510
Struble, L. J.—Correlation between Paste and Concrete Flow Behavior (105-M33) May-June 2008. 281
Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
Sugar cane bagasse ash—Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008 487
Sugar cane waste—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) Villar-Cociña, E.; Rojas, M. F.; and Morales, E. V., May-June 2008. 258
Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) Villar-Cociña, E.; Rojas, M. F.; and Morales, E. V., May-June 2008 258
Sulfate attack
—Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Monteiro, P. J. M., and Kurtis, K. E., Jan.-Feb. 2008. 62
—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Shehata, M. H.; Adhikari, G.; and Radomski, S., Nov.-Dec. 2008. 594
—Salt Weathering Distress on Concrete Exposed to Sodium Sulfate Environment (105-M05) Haynes, H.; O'Neill, R.; Neff, M.; and Mehta, P. K., Jan.-Feb. 2008 35
Sun, W.—Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Mar.-Apr. 2008 156
Sun, Z.—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Jan.-Feb. 2008. 97
Surface treatments—Full-Scale Marine Exposure Tests on Treated and Untreated Concretes—Initial 7-Year Results (105-M10) Nanukuttan, S. V.; Basheer, L.; McCarter, W. J.; Robinson, D. J.; and Basheer, P. A. M., Jan.-Feb. 2008. 81
Sustainability—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Lepech, M. D.; Li, V. C.; Robertson, R. E.; and Keoleian, G. A., Nov.-Dec. 2008 567

Sustainable development—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008 367
Sustainable infrastructure—Design of Green Engineered Cementitious Composites for Improved Sustainability (105-M64) Lepech, M. D.; Li, V. C.; Robertson, R. E.; and Keoleian, G. A., Nov.-Dec. 2008 567
Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Zhang, Y.; Sun, W.; and Li, Z., Mar.-Apr. 2008 156

T

Temperature
—Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) Jeon, S.-J., July-Aug. 2008 325
—Impact of Extremely Hot Weather and Mixing Method on Changes in Properties of Ready Mixed Concrete during Delivery (105-M50) Al-Negheimish, A. I., and Alhozaimy, A. M., Sept.-Oct. 2008 438
—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
—Mechanisms of Radon Exhalation from Hardening Cementitious Materials (105-M47) Kovler, K., July-Aug. 2008 404
—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342
—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) Lee, J.; Xi, Y.; and Willam, K., July-Aug. 2008 334
—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) Villar-Cociña, E.; Rojas, M. F.; and Morales, E. V., May-June 2008 258
Tensile creep—Effect of Mixture Composition on Restrained Shrinkage Cracking of Self-Consolidating Concrete Used in Repair (105-M58) Hwang, S.-D., and Khayat, K. H., Sept.-Oct. 2008 499
Test—Study on Corrosion Durability of Ferrocement (105-M04) Mansur, M. A.; Maalej, M.; and Ismail, M., Jan.-Feb. 2008 28
Testing—Development of Laboratory Device to Simulate Roller-Compacted Concrete Placement (105-M14) Marques Filho, J.; Paulon, V. A.; Monteiro, P. J. M.; Pacelli de Andrade, W.; and Dal Molin, D., Mar.-Apr. 2008 125
T-girders—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) Gassman, S. L., and Zein, A. S., July-Aug. 2008 395
Thermal stress—Advanced Assessment of Cracking due to Heat of Hydration and Internal Restraint (105-M37) Jeon, S.-J., July-Aug. 2008 325
Thixotropy
—Experimental Simulation of Self-Consolidating Concrete Formwork Pressure (105-M12) Gregori, A.; Ferron, R. P.; Sun, Z.; and Shah, S. P., Jan.-Feb. 2008 97
—Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Khayat, K. H., and Assaad, J. J., Jan.-Feb. 2008 88
Thomas, M. D. A.—Performance of Slag Concrete in Marine Environment (105-M71) Nov.-Dec. 2008 628
Tomoda, Y.—Phenomenological Model of Corrosion Process in Reinforced Concrete Identified by Acoustic Emission (105-M23) Mar.-Apr. 2008 194
Tosun, K.—Effectiveness of Alkyl Alkoxy Silane Treatment in Mitigating Alkali-Silica Reaction (105-M03) Jan.-Feb. 2008 20
Toughness—Correlating Flexural and Shear Toughness of Lightweight Fiber-Reinforced Concrete (105-M29) Higashiyama, H., and Banthia, N., May-June 2008 251
Transient response—Measurement of Reinforcement Corrosion Rate Using Transient Galvanostatic Pulse Method (105-M40) So, H.-s., and Millard, S. G., July-Aug. 2008 350
Transport properties—Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 44
Tregger, N.—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Nov.-Dec. 2008 558
Two-electrode method—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 541

U

Ultra-high-performance fiber-reinforced concrete—Cylinder or Cube: Strength Testing of 80 to 200 MPa (11.6 to 29 ksi) Ultra-High-Performance Fiber-Reinforced Concrete (105-M68) Graybeal, B., and Davis, M., Nov.-Dec. 2008 603
Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) De Belie, N.; Grosse, C.; and Baert, G., May-June 2008 221
Ultrasound—Ultrasonic Transmission to Monitor Setting and Hardening of Fly Ash Concrete (105-M25) De Belie, N.; Grosse, C.; and Baert, G., May-June 2008 221
Unbiased Statistical Comparison of Creep and Shrinkage Prediction Models (105-M69) Bažant, Z. P., and Li, G.-H., Nov.-Dec. 2008 . . . 610
Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Khayat, K. H., and Assaad, J. J., Jan.-Feb. 2008 88
Use of Ultra-Fine Sugar Cane Bagasse Ash as Mineral Admixture for Concrete (105-M56) Chagas Cordeiro, G.; Dias Toledo Filho, R.; and de Moraes Rego Fairbairn, E., Sept.-Oct. 2008 487

V

Validation of Mualem's Conductivity Model and Prediction of Saturated Permeability from Sorptivity (105-M06) Leech, C.; Lockington, D.; Hooton, R. D.; Galloway, G.; Cowin, G.; and Dux, P., Jan.-Feb. 2008 . . . 44
Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) Williamson, G. S.; Weyers, R. E.; Brown, M. C.; Ramniceanu, A.; and Sprinkel, M. M., July-Aug. 2008 375
van Deventer, J. S. J.—Characterization of Aged Slag Concretes (105-M15) Mar.-Apr. 2008 131
Vicat test—Maturity Approach Applied to Concrete by Means of Vicat Tests (105-M51) García, Á.; Castro-Fresno, D.; and Polanco, J. A., Sept.-Oct. 2008 445
Villar-Cociña, E.—Sugar Cane Wastes as Pozzolanic Materials: Application of Mathematical Model (105-M30) May-June 2008 258
Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297
Viscosity—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
Viscosity-enhancing admixture—Use of Thixotropy-Enhancing Agent to Reduce Formwork Pressure Exerted by Self-Consolidating Concrete (105-M11) Khayat, K. H., and Assaad, J. J., Jan.-Feb. 2008 88
Void—Virtual Pervious Concrete: Microstructure, Percolation, and Permeability (105-M35) Bentz, D. P., May-June 2008 297

W

Wang, X.—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Jan.-Feb. 2008 11
Water absorption—Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) Yang, K.-H.; Chung, H.-S.; and Ashour, A. F., May-June 2008 289
Water-cement ratio
—Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Zheng, J.-j., and Zhou, X.-z., Mar.-Apr. 2008 200
—Experimental Asymptotic Analysis of Expansion of Concrete Exposed to Sulfate Attack (105-M08) Monteiro, P. J. M., and Kurtis, K. E., Jan.-Feb. 2008 62
Water permeability—Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Zheng, J.-j., and Zhou, X.-z., Mar.-Apr. 2008 200
Weiss, J.—Performance of Shrinkage-Reducing Admixtures at Different Humidities and at Early Ages (105-M55) Sept.-Oct. 2008 478
Wen, S.—Effect of Moisture on Piezoresistivity of Carbon Fiber-Reinforced Cement Paste (105-M32) May-June 2008 274

Wenner method—Electrical Resistivity Measurements for Quality Control During Concrete Construction (105-M61) Sengul, O., and Gjørv, O. E., Nov.-Dec. 2008 541
Weyers, R. E.
—Parameters Governing Corrosion Protection Efficacy of Fusion-Bonded Epoxy Coatings on Reinforcing Bar (105-M53) Sept.-Oct. 2008 459
—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) July-Aug. 2008 375
Willam, K.—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) July-Aug. 2008 334
Williamson, G. S.—Validation of Probability-Based Chloride-Induced Corrosion Service-Life Model (105-M43) July-Aug. 2008 375
Wirquin, E.—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) July-Aug. 2008 342
Workability—Recycling Waste Latex Paint in Concrete with Added Value (105-M42) Mohammed, A.; Nehdi, M.; and Adawi, A., July-Aug. 2008. . .367

X

Xi, Y.—Properties of Concrete after High-Temperature Heating and Cooling (105-M38) July-Aug. 2008 334
X-ray diffraction—Long-Term Durability of Blended Cement Against Sulfate Attack (105-M67) Shehata, M. H.; Adhikari, G.; and Radomski, S., Nov.-Dec. 2008 594
Xu, H.—Characterization of Aged Slag Concretes (105-M15) Mar.-Apr. 2008 131
Xue, W.—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Jan.-Feb. 2008 11

Y

Yahia, A.—Effect of Supplementary Cementitious Materials on Rheological Properties, Bleeding, and Strength of Structural Grout (105-M66) Nov.-Dec. 2008 585
Yang, K.-H.—Influence of Type and Replacement Level of Recycled Aggregates on Concrete Properties (105-M34) May-June 2008. 289
Yang, W.—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Nov.-Dec. 2008 548
Yang, Y.—Prediction of Reinforcement Corrosion in Concrete and Its Effects on Concrete Cracking and Strength Reduction (105-M01) Jan.-Feb. 2008 3
Yen, T.—Restored Strength of Cracked Concrete Beam Repaired by Epoxy and Polymethyl Methacrylate (105-M52) Sept.-Oct. 2008. 451
Yield—Correlation between Paste and Concrete Flow Behavior (105-M33) Hidalgo, J.; Chen, C.-T.; and Struble, L. J., May-June 2008 281
Yield stress
—Identifying Viscosity of Cement Paste from Mini-Slump-Flow Test (105-M63) Tregger, N.; Ferrara, L.; and Shah, S. P., Nov.-Dec. 2008 558
—Methodology to Couple Time-Temperature Effects on Rheology of Mortar (105-M39) Petit, J.-Y., Khayat, K. H.; and Wirquin, E., July-Aug. 2008 342
Yoon, I.-S.—Prediction of Temperature Distribution in High-Strength Concrete Using Hydration Model (105-M21) Mar.-Apr. 2008 180

Z

Zakaria Hossain, M.—Pullout Response of Ferrocement Members Embedded in Soil (105-M13) Mar.-Apr. 2008 115
Zein, A. S.—Change in Impact-Echo Response during Fatigue Loading of Concrete Bridge T-Girder (105-M46) July-Aug. 2008. 395
Zhang, S.—Bond Properties of High-Strength Carbon Fiber-Reinforced Polymer Strands (105-M02) Jan.-Feb. 2008 11
Zhang, Y.—Synthesis and Microstructural Characterization of Fully-Reacted Potassium-Poly(sialate-Siloxo) Geopolymeric Cement Matrix (105-M18) Mar.-Apr. 2008 156
Zheng, J.-j.—Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Mar.-Apr. 2008 200
Zhou, X.-z.—Analytical Method for Prediction of Water Permeability of Cement Paste (105-M24) Mar.-Apr. 2008 200
Zhou, Y.—Behavior of High-Performance Concrete under Uniaxial and Biaxial Loading (105-M62) Nov.-Dec. 2008 548
Zhu, J.—Crack Depth Estimation in Concrete Using Energy Transmission of Surface Waves (105-M59) Sept.-Oct. 2008 510